AMENDMENTS TO THE CLAIMS

- 1-8. (Canceled)
- (Withdrawn) A method for regulating cold and dehydration regulatory genes in a plant comprising the steps of:
 - introducing at least one copy of a regulatory gene encoding a protein into a plant;
 - expressing the binding protein encoded by the regulatory gene; and using the expressed binding protein to stimulate expression of at least one environmental stress tolerance gene through binding to a DNA regulatory sequence.
- 10. (Canceled)
- 11. (Withdrawn) A method for regulating cold and dehydration regulatory genes in a plant comprising the steps of:
 - introducing DNA encoding a binding protein capable of binding to a DNA regulatory sequence into a plant;
 - introducing a promoter into a plant which regulates expression of the binding protein;
 - introducing a DNA regulatory sequence into a plant to which a binding protein can bind; and
 - introducing one or more environmental stress tolerance genes into a plant whose expression is regulated by a DNA regulatory sequence.
- (Currently Amended) A method for regulating <u>a</u> dehydration <u>drought</u> regulatory genes <u>gene</u> in a plant comprising the steps of:
 - a) providing a transforming said plant transformed with a gene encoding a transcription regulating protein encoded by SEQ. ID. No. 1, wherein the protein is capable of selectively binding to a DNA regulatory

sequence comprising CAACA, in the plant to create a transformed plant so that expresses a drought regulatory gene in the plant is expressed at a higher level under a drought condition;

 exposing said <u>transformed</u> plant to drought stress so that said transcription regulating protein in the plant is expressed.

13 - 16. (Canceled)

 (Withdrawn) Plant material transformed with DNA encoding a cold-regulated transcription factor.

18 - 19. (Canceled)

- 20 (Previously Presented) The method of Claim 12, wherein said transformation is by effected by Agrobacterium tumerfaciens.
- (Previously Presented) The method of Claim 12, wherein said gene is operably linked to a promoter.
- (Previously Presented) The method of Claim 21, wherein said promoter is constitutive.
- (Previously Presented) The method of Claim 21, wherein said promoter is inducible.
- (Previously Presented) The method of Claim 21, wherein said promoter is tissue specific.
- 25. (Canceled)

- (Currently amended) A method for regulating <u>a</u> cold regulatory <u>genes</u> gene in a plant comprising the steps of:
 - a) providing a transforming said plant transformed with a gene encoding a transcription regulating protein encoded by SEQ. ID. No. 1, wherein the protein is capable of selectively binding to a DNA regulatory sequence comprising CAACA, in the plant to create a transformed plant so that expresses a drought cold regulatory gene in the plant is expressed at a higher level in the cold:
 - exposing said transformed plant to cold stress so that said transcription regulating protein in the plant is expressed.
- 27 (Currently amended) The method of Claim 26, wherein said transformation is by effected by Agrobacterium tumerfaciens.
- (Previously presented) The method of Claim 26, wherein said gene is operably linked to a promoter.
- (Previously presented) The method of Claim 28, wherein said promoter is constitutive.
- (Previously presented) The method of Claim 28, wherein said promoter is inducible.
- (Previously presented) The method of Claim 28, wherein said promoter is tissue specific.